

	Type	L #	Hits	Search Text	DBs
1	BRS	L2	246	unity adj gain adj amplifier.clm.	US-PGPUB; USPAT
2	BRS	L3	33	2 and (variable adjustable selectable) adj resistor	US-PGPUB; USPAT
3	BRS	L4	1015	transistor.clm. and (variable adjustable selectable) adj resistor.clm. and (comparator amplifier).clm.	US-PGPUB; USPAT
4	BRS	L5	289	4 and constant near2 current	US-PGPUB; USPAT
5	BRS	L6	329	trim\$3 adj circuit	USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L11	26	trim\$3 adj circuit.clm. and constant near5 current	US-PGPUB; USPAT
7	BRS	L12	107	trim\$3 adj circuit and constant near5 current	US-PGPUB; USPAT
8	BRS	L13	101	12 and resistor	US-PGPUB; USPAT
9	BRS	L14	92	13 and transistor	US-PGPUB; USPAT
10	BRS	L16	331	constant adj current.clm. and (adjust\$5 var\$5 trim\$5 slect\$5) adj2 resist\$3.clm.	US-PGPUB; USPAT
11	BRS	L17	295	16 and transistor	US-PGPUB; USPAT
12	BRS	L18	782	constant near5 current.ti.	US-PGPUB; USPAT
13	BRS	L19	279	18 and (resistor\$4) and transistor and (amplifier comparator)	US-PGPUB; USPAT
14	BRS	L20	2658	current.ti. and (resistor and transistor and amplifier comparator).clm.	US-PGPUB; USPAT
15	BRS	L21	1904	20 and constant	US-PGPUB; USPAT
16	BRS	L22	1	"2000049283"	US-PGPUB; USPAT; JPO
17	BRS	L23	732	20 and constant.clm.	US-PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
18	BRS	L24	92	18 and ((var\$5 adjust\$5 select\$5) near2 resistor\$4) and transistor and (amplifier comparator)	US-PGPUB; USPAT
19	BRS	L25	275954	current.ti.	USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L26	35804	25 and transistor	USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L27	10571	26 and (comparator amplifier)	USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L28	4310	27 and resistor	USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L29	8634	(constant precision) adj2 current.ti.	USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L30	3132	29 and transistor	USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	L31	984	30 and (amplifier comparator)	USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L32	48928	(constant precision) adj2 current	USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L35	52664	(varying variable select\$3 slectable adjust\$3 adjustable ) adj2 resist\$3	USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L36	3120	32 and 35	USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
29	BRS	L37	1826	36 and (comparator amplifier)	USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L38	914	37 and transistor	USOCR; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L39	881	38 not 31	USOCR; EPO; JPO; DERWENT; IBM_TDB